

Nokian Hakkapeliitta Truck

Nokian NTR-831

Sizes
 295/80 R 22.5
 315/70 R 22.5
 315/80 R 22.5

Application
 Winter drive tyre
 • Especially designed for long and medium haul



Maximum load capacities per axle

Size	Pattern	LI/SS	Inflation Pressure	Single Load	Dual Load
295/80R22.5	NTR-831	152/148M	8,50 bar	7100 kg @130 km/h	12600 kg @ 130 km/h
315/70R22.5	NTR-831	152/148M 154/150L	8,50 bar 9,00 bar	7100 kg @130 km/h 7500 kg @120 km/h	12600 kg @ 130 km/h 13400 kg @ 120 km/h
315/80R22.5	NTR-831	154/150M 156/150L	8,25 bar 8,25 bar 8,50 bar	7500 kg @130 km/h - 8000 kg @120 km/h	13400 kg @130 km/h 13400 kg @120 km/h -

Tyre dimensions

Tyre Size	Pattern Design	Tread depth (mm)	Approved Rims (in)	Overall Diameter (mm)	Tyre Width (mm)	Static Loaded Radius (mm)	Rolling Circ. (mm)	Minimum Dual Spacing (mm)
295/80R22.5	NTR-831	20,0	9.00 , 8.25	1063	295	495	3231	335
315/70R22.5	NTR-831	19,5	9.00 , 8.25	1032	315	476	3136	351
315/80R22.5	NTR-831	20,0	9.00 , 9.75	1087	313	505	3304	351

Compound
 Special compound for winter drive axle use

Properties

- Excellent mileage due to robust block design
- Patented TWIN BLOCK pattern makes possible to use open pattern with high number of sipes, which enables the traction on slippery surfaces
- Marked stud arrangement in 8 rows
- Good traction on snowy and icy roads

Certificates

- E9 00 2045 (295/80 R 22.5)
- E9 00 2032 (315/70 R 22.5)
- E9 00 2053 (315/80 R 22.5)
- E4-0017666-s (Noise homologation)

4.7.2008