

710/55-28.5 24 180A8/187A2 NOKIAN TYRES FOREST KING F2 SF TT

Track grip for demanding forestry use

PRODUCT CODE	T445570
TIRE CLASSIFICATION CODE	LS-2
APPLICATION	Forwarder and Harvester
LI / SPEED SYMBOL	180A8 (187A2)
PLY RATING	24
RIM RECOMMENDED	AG24.00
TYPE APPROVAL	E8 106R-001550



LOAD CAPACITY FOR FORWARDER AND HARVESTER, LB

Forestry service (LT)

Pressure (psi)	Speed (mph)
	5
23	9645
29	10750
35	11685
41	13230
46	13560
52	15210
58	16535
65	17635
73	18740
87	21495

Road

Pressure (psi)	Speed (mph)		
	12	17.5	25
23	9625	8380	7825
29	10845	9435	8820
35	11530	10030	9370
41	13215	11495	10750
46	13560	11795	11025
52	15190	13205	12345
58	16680	14505	13560
65	17625	15335	14330
73	18705	16280	15210
87	21695	18870	17635

TIRE DIMENSIONS

	New tire	Max. in service
OVERALL DIAMETER	59.6 in	61.4 in
TIRE WIDTH	28.3 in	30.9 in
PATTERN DEPTH	44/32 in	
MAX. INFLATION PRESSURE	87 psi	

STATIC LOADED RADIUS 27.4 in @ 21500 lb / 87 psi

DYNAMIC ROLLING CIRCUMFERENCE 181.8 in @ 21500 lb / 87 psi

DYNAMIC ROLLING RADIUS 28.9 in @ 21500 lb / 87 psi

TUBE PRODUCT CODE T545543

TUBE VALVE TR218A

BREAKER MATERIAL Steel

VOLUME 175 gallons 100%
131 gallons 75%

WATER AND SALT BALLASTING

(CaCl₂, 75%, -30°C) Always use a tube when filled with water/salt.

Tire volume 100%		Water filling 75%		Water/salt filling (75% / -30°C)				Total weight increase	
				Water		Salt			
Litres	Gallons	Litres	Gallons	Litres	Gallons	kg	lbs	kg	lbs
664	175	498	132	409	108	208	459	617	1360

NOKIAN TYRES PLC is a full member of ETRTO and affiliated member of TRA. In design and production, we certify that products made in Nokian factory (YL) are according the ETRTO and TRA standards.

Tyre have been manufactured and tested in accordance with the requirements of ISO 9001 and ISO 14001. Nokian Tyres Plc has the following certificates:

- Quality Management System Standard, ISO 9001, Certificate No: 76363-2010-AQ-FIN-FINAS
- Environmental Management System Standard, ISO 14001, Certificate No: 76361-2010-AE-FIN-FINAS

More information: www.nokiantyres.com/heavy/technical-tire-manual/