WR G4 • WR G4 SUV

PERFORMANCE IN ALL WEATHER CONDITIONS

±45°F ±7°C
ALL-WEATHER CONDITIONS

PASSENGER / CUV / SUV

ALL-WEATHER DUAL PERFORMANCE COMPOUND

With the All-Weather Dual Performance Compound, the Nokian Tyres WR G4 features longer-lasting tread life and draws inspiration from nature with its Centipede Siping - jagged 3D sipes on the center rib that resemble the legs of a centipede. The centipede sipes grip the surface to maximize biting edges while maintaining stable handling.

BLADE GROOVES

The inner shoulder's fan-like rib pattern with functional tread blocks and Blade Grooves efficiently routes rain, snow, and slush away from the contact surface. The sipes staggered at different angles provide effective longitudinal grip and acceleration grip on snow, and the wide longitudinal grooves offer lateral grip. Winter grip is further enhanced by the block pattern that is shaped on the inner shoulder side of the center rib. It is partially equipped with hinges and sipes and the small, heavily siped tread blocks are grooved so that every other sipe is attached on the left and every other on the right.

ADDED DURABILITY FOR SUV'S

Our Aramid sidewall compound provides puncture-resistant protection for surprising situations. It comes standard on all CUV, SUV and light truck tires, which means it comes with Pothole Protection.

- **COANDA TECHNOLOGY**
- **SNOW CLAWS**
- **POLISHED GROOVES**
- **FUNCTIONAL PERFORMANCE SIPING**
- **SILENT SIDEWALL TECHNOLOGY**
- **WINTER SAFETY INDICATOR (WSI)**

VISIT NOKIANTIRES.COM

60,000 Mile Limited Treadwear Warranty
• Passenger and SUV sizes - UTQG Rating: 500/A/A, 600/A/A, 540/A/A,

105,000 Km Limited Treadwear Warranty
• Passenger - UTQG Rating: 500/A/A
95,000 Km Limited Treadwear Warranty
• SUV Series 60 and higher - UTQG Rating: 600/A/A
• SUV Series 55 and lower - UTQG Rating: 540/A/A

M+S | 14–20 inches | H-130 m/h • 210 km/h
V-149 m/h • 240 km/h
W-168 m/h • 270 km/h

SATISFACTION GUARANTEE
30-DAY RETURN WITH FULL REFUND

ARAMID STRONG SIDEWALLS
IMPACT PROTECTION
SUV ONLY

POTHOLE PROTECTION™
FREE TIRE REPLACEMENT IF BEYOND REPAIR
SUV ONLY

NOKIAN TYRES WR G4 • ALL-WEATHER TIRE

P-METRIC

60,000 MILE LIMITED TREADWEAR WARRANTY
• PASSENGER SIZES - UTQG RATING: 500/A/A

105,000 KM LIMITED TREADWEAR WARRANTY
• PASSENGER SIZES - UTQG RATING: 500/A/A

RIM	SIZE/SPEED RATING	PRODUCT CODE	WEIGHT LBS.	RIM WIDTH		OVERALL DIAMETER	OVERALL WIDTH	TREAD DEPTH 32ND	REVOLUTIONS PER	
				APPROVED	MEASURING				MILE	KM
14	185/65 R 14 86 H	T430446	15.1	5-6.5	5.5	23.5	7.4	11	885	550
15	175/65 R 15 84 H	T430434	14.7	5-6	5.0	24.0	7.0	11	869	540
	185/65 R 15 88 H	T430431	15.4	5-6.5	5.5	24.5	7.4	11	847	527
	195/65 R 15 91 H	T430412	16.5	5.5-7	6.0	25.0	7.9	11	833	518
	205/65 R 15 94 H	T430414	18.9	5.5-7.5	6.0	25.5	8.2	11	813	505
	185/60 R 15 84 H	T430435	14.5	5-6.5	5.5	23.7	7.4	11	877	545
	195/60 R 15 88 H	T430428	15.7	5.5-7	6.0	24.2	7.9	11	862	536
	185/55 R 15 82 H	T430450	14.7	5-6.5	6.0	23.0	7.6	11	900	559
16	205/65 R 16 95 H	T430447	21.6	5.5-7.5	6.0	26.5	8.2	11	782	486
	205/60 R 16 92 V	T430429	18.9	5.5-7.5	6.0	25.7	8.2	11	807	501
	215/60 R 16 95 H	T430413	20.8	6-7.5	6.5	26.1	8.7	11	794	493
	225/60 R 16 98 V	T430415	23.9	6-8	6.5	26.6	9.0	11	782	486
	235/60 R 16 100 H	T430432	26.5	6.5-8.5	7.0	27.1	9.4	11	770	478
	195/55 R 16 87 V	T430448	16.9	5.5-7	6.0	24.4	7.9	11	855	531
	205/55 R 16 91 V	T430411	16.7	5.5-7.5	6.5	24.9	8.4	11	833	518
	205/55 R 16 91 H Flat Run	T430451	24.7	5.5-7.5	6.5	24.9	8.4	11	833	518
	215/55 R 16 97 H XL	T430417	19.7	6-7.5	7.0	25.3	8.9	11	820	509
17	215/65 R 17 103 H XL	T430436	25.8	6-7.5	6.5	28.0	8.7	11	741	461
	215/55 R 17 94 V	T430416	23.4	6-7.5	7.0	26.3	8.9	11	788	490
	225/55 R 17 101 V XL	T430418	24.7	6-8	7.0	26.8	9.2	11	776	482
	235/55 R 17 99 V	T430430	25.5	6.5-8.5	7.5	27.2	9.6	11	764	475
	205/50 R 17 93 V XL	T430422	18.1	5.5-7.5	6.5	25.1	8.4	11	827	514
	215/50 R 17 95 V XL	T430433	20.4	6-7.5	7.0	25.5	8.9	11	813	505
	225/50 R 17 98 V XL	T430419	20.1	6-8	7.0	25.9	9.2	11	800	497
	215/45 R 17 91 V XL	T430426	9.6	7-8	7.0	24.6	8.4	11	847	527
	225/45 R 17 94 V XL	T430421	21.0	7-8.5	7.5	25.0	8.9	11	833	518
	225/45 R 17 91 H Flat Run	T430452	25.1	7-8.5	7.5	25.0	8.9	11	833	518
	235/45 R 17 97 V XL	T430425	22.8	7.5-9	8.0	25.4	9.3	11	820	509
	245/45 R 17 99 V XL	T430441	25.0	7.5-9	8.0	25.7	9.6	11	807	501
18	225/60 R 18 100 W	T430420	27.3	6-8	6.5	28.6	9.0	11	725	451
	245/55 R 18 103 W	T430423	29.7	7-8.5	7.5	28.6	10.0	11	725	451
	235/50 R 18 101 V XL	T430424	25.7	6.5-8.5	7.5	27.3	9.6	11	764	475
	225/45 R 18 95 V XL	T430427	21.9	7-8.5	7.5	25.9	8.9	11	800	497
	235/45 R 18 98 V XL	T430442	24.4	7.5-9	8.0	26.3	9.3	11	788	490
	245/45 R 18 100 V XL	T430438	25.7	7.5-9	8.0	26.6	9.6	11	782	486
	225/40 R 18 92 V XL	T430440	21.0	7.5-9	8.0	25.1	9.1	11	827	514
	235/40 R 18 95 V XL	T430439	23.5	8-9.5	8.5	25.4	9.5	11	820	509
	245/40 R 18 97 V XL	T430437	24.2	8-9.5	8.5	25.7	9.8	11	807	501
19	245/45 R 19 102 V XL	T430443	26.3	7.5-9	8.0	27.7	9.6	11	753	468
	235/40 R 19 96 W XL	T432012	24.0	8-9.5	8.5	26.4	9.5	11	788	490
	245/40 R 19 98 W XL	T432011	24.7	8-9.5	8.5	26.7	9.8	11	781	485
	255/40 R 19 100 V XL	T430444	27.5	8.5-10	9.0	27.0	10.2	11	770	478
	255/35 R 19 96 V XL	T430445	25.7	8.5-10	9.0	26.0	10.2	11	800	497
20	245/40 R 20 99 W XL	T432010	26.0	8-9.5	8.5	27.7	9.8	11	752	468

NOKIAN TYRES WR G4 SUV • ALL-WEATHER TIRE

P-METRIC
60,000 MILE LIMITED TREADWEAR WARRANTY
• SUV SIZES - UTQG RATING: 600/A/A, 540/A/A,

95,000 KM LIMITED TREADWEAR WARRANTY
• SUV SERIES 60 AND HIGHER - UTQG RATING: 600/A/A
• SUV SERIES 55 AND LOWER - UTQG RATING: 540/A/A

RIM	SIZE/SPEED RATING	PRODUCT CODE	WEIGHT LBS.	RIM WIDTH		OVERALL DIAMETER	OVERALL WIDTH	TREAD DEPTH 32ND	REVOLUTIONS PER	
				APPROVED	MEASURING				MILE	KM
16	215/70 R 16 100 H	T430908	25.8	5.5-7	6.5	27.9	8.7	11	747	464
	225/70 R 16 107 H XL	T430909	26.6	6-7.5	6.5	28.4	9.0	11	731	454
	235/70 R 16 106 H	T430910	28.8	6-8	7.0	29.0	9.4	11	715	444
	265/70 R 16 112 H	T430911	34.0	7-9	8.0	30.6	10.7	11	681	423
	215/65 R 16 102 H XL	T430912	24.9	6-7.5	6.5	27.0	8.7	11	770	478
17	265/70 R 17 115 H	T430913	36.1	7-9	8.0	31.6	10.7	11	659	410
	225/65 R 17 106 H XL	T430914	26.5	6-8	6.5	28.5	9.0	11	731	454
	235/65 R 17 108 H XL	T430915	30.3	6.5-8.5	7.0	29.1	9.4	11	715	444
	245/65 R 17 111 H XL	T430916	31.0	7-8.5	7.0	29.5	9.8	11	705	438
	255/65 R 17 114 H XL	T430917	34.5	7-9	7.5	30.1	10.2	11	691	429
	265/65 R 17 116 V XL	T430918	35.6	7.5-9.5	8.0	30.5	10.7	11	681	423
	215/60 R 17 100 H XL	T430919	25.4	6-7.5	6.5	27.2	8.7	11	764	475
	225/60 R 17 103 H XL	T430920	26.4	6-8	6.5	27.6	9.0	11	753	468
	235/60 R 17 106 H XL	T430921	28.9	6.5-8.5	7.0	28.1	9.4	11	741	461
	265/60 R 17 108 V	T431018	35.3	7-9.5	8.0	29.5	10.7	11	705	438
18	235/65 R 18 106 V	T430922	31.2	6.5-8.5	7.0	30.0	9.4	11	691	429
	255/65 R 18 111 H	T432016	34.4	7-9	7.5	31.1	10.2	11	668	415
	235/60 R 18 107 V XL	T430923	29.8	6.5-8.5	7.0	29.1	9.4	11	715	444
	245/60 R 18 105 H	T430924	32.0	7-8.5	7.0	29.6	9.8	11	700	435
	255/60 R 18 112 V XL	T431945	32.2	7-9	7.5	30.0	10.2	11	691	429
	265/60 R 18 114 H XL	T430926	35.4	7-9.5	8.0	30.5	10.7	11	681	423
	215/55 R 18 95 H	T430927	25.8	6-7.5	7.0	27.3	8.9	11	764	475
	225/55 R 18 102 H XL	T430928	26.5	6-8	7.0	27.8	9.2	11	747	464
	235/55 R 18 104 H XL	T430929	28.2	6.5-8.5	7.5	28.1	9.6	11	741	461
	255/55 R 18 109 V XL	T430930	32.9	7-9	8.0	29.0	10.4	11	715	444
19	225/55 R 19 99 V	T430931	27.6	6-8	7.0	28.8	9.2	11	720	448
	235/55 R 19 105 V XL	T430932	29.8	6.5-8.5	7.5	29.2	9.6	11	710	441
	245/55 R 19 103 H	T430933	33.8	7-8.5	7.5	29.6	10.0	11	700	435
	255/55 R 19 111 V XL	T430934	33.7	7-9	8.0	30.0	10.4	11	691	429
	235/50 R 19 103 V XL	T431020	27.7	6.5-8.5	7.5	28.3	9.6	11	736	457
	255/50 R 19 107 V XL	T430935	32.6	7-9	7.5	29.1	10.4	11	715	444
20	235/55 R 20 105 H XL	T430936	31.4	6.5-8.5	7.5	30.2	9.6	11	691	429
	255/55 R 20 110 V XL	T432014	33.7	7-9	8.0	31.0	10.4	11	673	418
	275/55 R 20 113 V	T432098	35.9	7.5-9.5	8.5	31.9	11.2	11	651	404
	245/50 R 20 102 V	T432013	32.4	7-8.5	7.5	29.7	10.0	11	700	435
	255/50 R 20 109 V XL	T432015	32.4	7-9	8.0	30.1	10.4	11	691	429
	265/50 R 20 111 V XL	T430938	35.7	7.5-9.5	8.5	30.5	10.9	11	681	423
	255/45 R 20 105 V XL	T431019	31.0	8-9.5	8.5	29.1	10.0	11	715	444
	265/45 R 20 108 V XL	T430939	33.5	8.5-10	9.0	29.4	10.5	11	705	438
	275/45 R 20 110 V XL	T430940	34.3	8.5-10.5	9.0	29.8	10.8	11	695	432

nokian TYRES
ARAMID STRONG SIDEWALLS
IMPACT PROTECTION
SUV ONLY



The sidewall is reinforced with extremely strong aramid fibers for impact resistance.

GREEN AREA INDICATES WHERE THE ARAMID FIBERS HAVE BEEN ADDED.

nokian TYRES
POTHOLE PROTECTION™
FREE TIRE REPLACEMENT IF BEYOND REPAIR
SUV ONLY